

20 Facts About Vaccination Your Doctor Forgot to Tell You

[20 Facts About Vaccination Your Doctor Forgot to Tell You](#)

by [Dr. Vernon Coleman](#)

January 8, 2022

Read this if you want to know more about vaccines than your doctor, practise nurse and health visitor.

1. The US Health Department's National Vaccine Injury Compensation Programme has shown that between 2,500 and 3,000 children are killed or injured each year by vaccines.
2. The US Government has paid vaccine damage compensation to the parents of autistic children.
3. The Japanese Government has halted part of its vaccination programme because of children dying.
4. In the UK, GPs receive massive payments for giving vaccinations. And bonus payments if they vaccinate enough patients. Doctors get very rich out of vaccine programmes.
5. Vaccines are now given to eight week old babies, though there is absolutely no long-term scientific evidence available to show that it is safe to do so. By the time they reach their second birthday small children will have received over a score of vaccinations. American children will have received even more. The vaccine industry is forever looking for new vaccines to give.

6. You will find a full list of the research work done to investigate the safety or otherwise of mass vaccination programmes on the palm of your left hand.

7. The diphtheria vaccine was first introduced in Germany. After the vaccine was introduced the number of cases of diphtheria steadily increased.

8. The number of deaths from whooping cough had fallen long before the vaccine was introduced. The vaccine has not reduced the incidence of the disease.

9. The flu vaccine is, inevitably, designed to deal with last year's flu virus.

10. I have never met a doctor who has regular flu jabs (or any other jabs for that matter).

11. In the past, a flu vaccine contained different strains of flu virus (propagated in chicken embryos); formaldehyde (a preservative); polyethylene glycol; gelatin (made from cow's bones) and a substance which contains mercury. The odd thing is that the EU has banned barometers containing mercury because they are thought to be dangerous. But doctors inject the stuff into people.

12. The polio vaccine did not 'kill off' polio. On the contrary, the vaccine resulted in more sufferers. In Tennessee, in the US, the number of polio victims before vaccination became compulsory was 119. The year after vaccination was introduced, the figure rose to 386. Similar figures for other American states. Polio became less common as a result of better sanitation and cleaner water supplies. The vaccination had no useful effect.

13. Dr Jenner is widely acclaimed as the 'inventor' of vaccine. But it is not so well known that when he tried the first smallpox vaccine on his 10 month son, the boy became mentally retarded and died at the age of 21. Jenner refused

to have his second child vaccinated. However, the medical profession saw the commercial possibilities and vaccination became popular (if deadly).

14. When Louis XV contracted smallpox he survived because his nurse hid him from the doctors whose vaccines had killed his father and brother.

15. Even though TB is now a major problem, many countries have abandoned the TB vaccine because it simply doesn't work. Indeed, the evidence suggests that the vaccine spreads the disease.

16. The risk of a child given the whooping cough vaccine developing brain damage is officially said to be 1 in 100,000. But that's the 'best' figure. Other research shows that the risk is as high as 1 in 6,000. There is no doubt that the vaccine causes far more harm than the disease and there is clear evidence linking the vaccine to brain damage.

17. Vaccines are dangerous and they don't always work. Up to half of the people given a vaccine jab do not develop a resistance to the disease concerned.

18. Drug companies now publish long lists of reasons for not vaccinating patients. Doctors rarely look at the lists, let alone take any notice. For example, for one vaccine the advice is that babies who cry persistently or develop a fever should not be given another jab. No one knows how much damage is caused by giving several vaccines in a single vaccine cocktail.

19. The French Government abandoned its hepatitis B vaccine programme for children after more than 15,000 lawsuits were filed for brain damage and other serious health problems.

20. In the US a group of paediatricians with 30,000 young patients do not vaccinate at all. They have no cases of

autism in their practice.

For more information about vaccines please see Vernon Coleman's book [*Anyone who tells you vaccines are safe and effective is lying: here's the proof*](#). The book is available as a paperback and an eBook on Amazon.

[**Connect with Dr. Vernon Coleman**](#)

cover image credit: [nts01](#) / pixabay