Childhood Exposure to Glyphosate Linked to Liver Inflammation and Metabolic Disorder

<u>Childhood Exposure to Glyphosate Linked to Liver</u> <u>Inflammation and Metabolic Disorder</u>

by <u>Sustainable Pulse</u> May 12, 2023

New research from the UC Berkeley School of Public Health in the U.S. shows that childhood exposure to the world's most widely used weed killer, glyphosate, is linked to liver inflammation and metabolic disorder in early adulthood, which could lead to liver cancer, diabetes, and cardiovascular disease later in life.

The study of 480 mother-child duos from the Salinas Valley, California—a rich agricultural region that locals call "The World's Salad bowl"—was published in Environmental Health Perspectives, a journal of the National Institute of Environmental Health Sciences.

The researchers, led by Brenda Eskenazi, director of the UC Berkeley School of Public Health's Center for Environmental Research and Community Health (CERCH), examined the agricultural use of glyphosate near the homes of the mothers during pregnancy and in the children up to age 5 years; and also measured glyphosate and AMPA, a degradation product of glyphosate and amino-polyphosphonates, in their urine (collected from mothers during pregnancy and from children at ages 5, 14, and 18 years). They assessed liver and metabolic

health in the children when they were 18 years old.

The authors reported that higher levels of glyphosate residue and AMPA in urine in childhood and adolescence were associated with higher risk of liver inflammation and metabolic disorders in young adulthood. In addition, the investigators found that agricultural glyphosate use near participants' homes from birth and up through age five was associated with metabolic disorders at age 18. They reported that diet was likely a major source of glyphosate and AMPA exposure among study participants, as indicated by higher urinary glyphosate or AMPA concentrations among those adolescents who ate more cereal, fruits, vegetables, bread, and in general, carbohydrates.

Glyphosate Box

Glyphosate Residue Free Certification for Food Brands — <u>Click</u> Here

Test Your Food and Water at Home for Glyphosate — <u>Click Here</u>

Test Your Hair for Glyphosate and other Pesticides — <u>Click</u> <u>Here</u> to Find Our Your Long-Term Exposure

Glyphosate is used routinely on genetically modified crops such as corn, soybeans and wheat, as well as oats, legumes and other produce. It is also present in many lawn care products for home and commercial use.

The debate over the impact of glyphosate and AMPA on human health has been contentious. In 2015, the International Agency for Research on Cancer (IARC) classified glyphosate as "probably carcinogenic to humans," but the U.S. Environmental Protection Agency reports no evidence of human health risk. However, most previous glyphosate research has focused on glyphosate's potential carcinogenicity. This is the first time that researchers have examined the potential connection

between early life exposure to glyphosate—whose use has markedly increased over the past two decades—and metabolic and liver disease, both of which are increasing among children and young adults.

The impetus for this study came from Salinas physician Charles Limbach, who was alarmed by the growing number of local youths with liver and metabolic diseases. Dr. Limbach wondered if the increasing public exposure to glyphosate might be a factor. He teamed up with Paul J. Mills, a UC San Diego professor and author of a previous study showing an association between higher levels of glyphosate residue and AMPA in adults and non-alcoholic fatty liver disease. The two men then approached Professor Eskenazi, who is also the founder of the Center for and Health Assessment of Mothers Children Salinas (CHAMACOS), the longest running longitudinal birth cohort investigation on the health effects of pesticides and other environmental exposures among children in a farmworker community. The CHAMACOS researchers reached back into their "library" of frozen biological samples from mother and child dyads, along with more than 20 years of exposure data and health records.

"The study's implications are troubling," said Dr. Ana Maria Mora, a CERCH investigator and coauthor, "as the levels of the chemicals found in our study participants are within the range reported for the general U.S. population."

Professor Eskenazi recommends that the use of glyphosate should be limited to essential use while further studies are conducted. "There's no reason why anyone should be using glyphosate on their lawn," she said. "It shouldn't be sold over the counter in a nursery."

The study <u>published in Environmental Health Perspectives</u> was funded by NIH, NIEHS, NIDA, and the EPA. Additional support came from The Solomon Dutka Fund in the New York Community Trust and The Westreich Foundation.

Connect with Sustainable Pulse

Cover image credit: hpgruesen

Philippines Supreme Court Blocks Commercial Release of GMOs over Ecological Disaster Fears

<u>Philippines Supreme Court Blocks Commercial Release of</u> <u>GMOs over Ecological Disaster Fears</u>

by <u>Sustainable Pulse</u> April 28, 2023

Genetically modified Golden Rice and Bt eggplant will remain off the market in the Philippines after the country's Supreme Court (SC) issued a writ in favor of farmers and scientists who sought to stop the government from commercially releasing the products, Phil Star Global reported. In a session last Tuesday, the SC granted a writ of Kalikasan to MASIPAG and other petitioners against officials of the Departments of Agriculture (DA), Environment and Natural Resources, and Health as well as the Bureau of Plant Industry, Philippine Rice Research Institute and University of the Philippines-Los Baños.

The writ of Kalikasan, a judicial mechanism in the

Philippines, provides protection against ecological damage and disasters caused by human activities like mining.

The petitioners sought the issuance of the writ alongside a continuing mandamus before the SC last year for a temporary environmental protection order that mandates the DA to stop the commercial propagation of golden rice and issue biosafety permits for the commercial propagation of Bt Eggplant.

The SC has yet to disclose whether they also granted other requests in the petition including stopping the DA from commercially propagating the Golden Rice and the Bt Eggplant until proof of safety and compliance with legal requirements are presented.

The petitioners want all biosafety permits for Golden Rice and Bt Eggplant nullified and voided. They also sought independent risk and impact assessments, to secure prior and informed consent of farmers and indigenous peoples and to ensure liability mechanisms in case of damage as required by law.

While the SC has yet to release the full decision, a briefer on the case showed that the MASIPAG argued that the Golden Rice, which is patented to transnational agrochemical corporation Syngenta, is a rice variety that has been modified by inserting genes from maize and bacteria found in soil. The bacteria allows the plant to biosynthesize beta-carotene in the edible parts.

"They also argued that Bt Eggplant was designed so the plant would produce its own toxin to kill the fruit and shoot borer, which is one of several common pests that consume and damage eggplants," the briefer added.

Connect with Sustainable Pulse

Cover image credit: sasint